Versigen

Overview

Mobile hot-cupboards with sliding doors. Based on Gastronorm GN1/1 pans available in four lengths. Compact high capacity units, hot food or plates and dishes can be held warm ready for service. Fully insulated robust stainless-steel construction with a solid plain top. A heavy-duty range aimed at the busy kitchen particularly suited to Restaurants, Hotels, Conference Centres, Universities, Aged Care Facilities, Hospitals, Schools, and Holiday Centres. Excellent for pre-heating plates and dishes, as well as the temporary storage of precooked food e.g. cooked meats, poultry, vegetables, sauces, etc. With an energy saving, fast heat up and recovery forced air heating and recirculation system, spreading the heat evenly throughout the cupboard.



Key Features:

- Insulated for increased efficiency.
- With hygiene in mind, all stainless-steel construction, inner panels are bright polished.
- Forced-air, convection-heated cupboard offers unparalleled flexibility of use.
- Fan unit is easily removable for cleaning and maintenance.
- Base and door track in one piece for easy cleaning.
- Thermostatically controlled fan assisted hot cupboard. 30°-110°C.
- Doors are very easily removed for cleaning, sliding doors have unique double life skid pads.
- Doors can be fully rotated and reinserted allowing the spare skid pads to be used offering a long and trouble-free service.
- Easy lift out GN 1/1 size multiple grid shelving, held by heavy-duty stainless-steel tube supports.
- The recessed, slide-out control panel is mounted to the operators right hand side.
- Mobile as standard fitted with 125mm diameter castors all swivel two with brakes.
- Mobility allows for easy kitchen deep clean.
- Complete with a 2-meter-long cable and plug [most units work from a 10-amp supply]

Options:

- Doors both sides; Add DBS to Code
- Non-mobile on adjustable for height feet [no extra cost but must be stated on order]
- Overhead gantry traditional pass through type. (See Versigen Kitchen pass range)
- Door Locks



With double life door skids and a Sahara fan heating cell,

Versigen








Model	Weight (kg)	L x D x H (mm)	Height to worktop	Power Rating/ Electrical supply
HC2	65	947 x 700 x 900	900mm	0.9kw / 1 0 amp
HC3	81	1275 x 700 x 900	900mm	1.5kw / 1 0 amp
HC4	100	1603 x 700 x 900	900mm	1.5kw / 10amp
HC5	118	1931 x 700 x 900	900mm	1.9kw / 1 0 amp


Hot cupboard capacity:


÷.





Note: 10" indicates 10 inch / 255mm diameter plates













Versigen Foodservice Equipment 1/182 Hartley Road, Smeaton Grange NSW 2567



www.versigen.com.au sales@versigen.com.au 1300 653 330